


Pin numbering = from 901301212 drawing
 Net naming = PMOD female host connector



Sheet: RXTX0
 P1 GPIO
 File: RXTX.sch

Sheet: RXTX4
 P7 GPIO
 File: RXTX.sch

Sheet: RXTX1
 P2 GPIO
 File: RXTX.sch

Sheet: RXTX5
 P8 GPIO
 File: RXTX.sch

Sheet: RXTX2
 P3 GPIO
 File: RXTX.sch

Sheet: RXTX6
 P9 GPIO
 File: RXTX.sch

Sheet: RXTX3
 P4 GPIO
 File: RXTX.sch

Sheet: RXTX7
 P10 GPIO
 File: RXTX.sch

- FID1
Fiducial
- FID2
Fiducial
- FID3
Fiducial
- FID4
Fiducial

RX / TX build time configurable


LBL

Sheet: /
 File: fo_board.sch


Title: 25W227 – Versatile FO interface board


Size: USLetter Date: 2020-08-05
 KiCad E.D.A. kicad 5.1.8

Rev: –
 Id: 1/9



Sheet: /RXTX0/ File: RXTX.sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. kicad 5.1.8		Id: 2/9





Sheet: /RXTX2/
File: RXTX.sch

Title:


Size: A4

Date:


KiCad E.D.A. kicad 5.1.8

Rev:

Id: 4/9



Sheet: /RXTX3/ File: RXTX.sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. kicad 5.1.8		Id: 5/9



Sheet: /RXTX4/ File: RXTX.sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. kicad 5.1.8		Id: 6/9

